
S.S.D.N
Jai Mata Di
HONEST INDIA
HONEST SANWOOD
Sanwood
VENTILATION

Sanwood
Since 1997

# WORLD'S BEST ENGINEERING POLY CARBONATE INJECTION MOLDING BODY

## SMC MOULDING COMPOUND

A high strength composite material and fiber reinforcement.

EXHAUST FAN HOUSING






1 UV - resistant cabinet material

2 Perfect for outdoor

3 Temperature tolerance from - 42° C to 96° C

## POWER CONTROL BOARD



## APPLICATION

Gym | Hospital | Industrial | Hotel | School | Poly House | Temple | Industry | Dairy Farming | Poultry Farm | Fastfood | Open Terrace Restaurant

Sanwood
Since 1997

# AIR CHANGES PER HOUR (ACH) TABLE

**This table provides suggested air changes per hour (ACH) under normal conditions based on our extensive experience & with the help of Google.**

| | | | |
|---|---|---|---|
| ASSEMBLY ROOMS | 4-8 | HAIRDRESSING SALONS | 10-15 |
| ACID PLANTS | 20-30 | HOSPITALS-STERILIZING | 15-25 |
| BAKERIES | 20-30 | HOSPITALS-WARDS | 6-8 |
| BANKS/BUILDING SOCIETIES | 4-8 | KITCHENS-DOMESTIC | 7-10 |
| BATHROOMS | 5-10 | KITCHENS-COMMERCIAL | 30 Minimum |
| BEDROOMS | 2-4 | LABORATORIES | 6-15 |
| BILLIARD ROOMS | 6-8 | LAUNDERETTES/ LAUNDROMATES | 10-15 |
| BOILER ROOMS | 15-30 | LAUNDRIES | 10-30 |
| CAFES AND COFFEE BARS | 10-12 | LAVATORIES | 6-15 |
| CANTEENS | 8-12 | LECTURE THEATRES | 5-8 |
| CELLARS | 3-10 | LIBRARIES | 3-5 |
| CHANGING ROOMS MAIN AREA | 5-10 | LIVING ROOMS | 3-6 |
| CHANGING ROOMS SHOWER AREA | 15-20 | MUSHROOM HOUSES | 6-10 |
| CHURCHES | 1-3 | MOLDING PLANTS | 10-20 |
| CINEMAS & THEATRES | 10-15 | OFFICES | 6-10 |
| CLUB ROOMS | 12 Minimum | PAINT SHOPS (NOT CELLULOSE) | 10-20 |
| COMPRESSOR ROOMS | 10-20 | PHOTO & X-RAY DARKROOMS | 10-15 |
| CONFERENCE ROOMS | 8-12 | PICKLING LINE | 20-30 |
| CHEMICAL PLANTS | 10-20 | PUBLIC HOUSE BARS | 12 Minimum |
| CRM LINE | 15-30 | RECORDING CONTROL ROOMS | 15-25 |
| DAIRIES | 8-10 | RECORDING STUDIOS | 10-12 |
| DANCE HALLS | 12 Minimum | RESTAURANTS | 8-12 |
| DENTAL SURGERIES | 12-15 | SCHOOL ROOMS | 5-7 |
| DYE WORKS | 20-30 | SHOPS AND SUPERMARKETS | 8-15 |
| ELECTROPLATING SHOPS | 10-12 | SHOWER BATHS | 15-20 |
| ENGINE ROOMS | 15-30 | STORES & WAREHOUSES | 3-6 |
| ENTRANCE HALLS & CORRIDORS | 3-5 | SQUASH COURTS | 4 Minimum |
| FACTORIES AND WORKSHOPS | 8-10 | SWIMMING BATHS | 10-15 |
| FOUNDRIES | 15-30 | SOLVENT PLANT | 15-25 |
| FORGING PLANT | 20-30 | STEEL POLISHING LINE | 10-20 |
| GARAGES | 6-8 | TOILETS | 6-10 |
| GLASSHOUSES | 25-60 | UTILITY ROOMS | 15-20 |
| GYMNASIUMS | 6 Minimum | WELDING SHOPS | 15-30 |
| G.I. PLANTS | 15-30 | ZINK TANK | 20-30 |
| VINYL SHEET PLANT | 15-25 | MUSTARD OIL PLANT | 15-25 |
| CHIP MELTING AREA | 30-60 | GLASS FURNANCE AREA | 30-60 |
| ALLUMINIUM FURNANCE AREA | 30-60 | RICE MILL & FLOUR MILL | 15-25 |

# INDUSTRIAL EVAPORATIVE AIR COOLERS
## INDUSTRIAL EXHAUST FANS

Eco-Friendly Product
ENERGY-EFFICIENT COMFORT



**Consumption**
**100 Watts to 3 KW**

**3500 Sq. ft.Cool up to**
without ducting /spot cooling

**Variable Speed | Two Speed**
**Single Speed**

Sanwood
Since 1997

# EVAPORATIVE AIR COOLERS

SW-149
36000 CMH

Digital Remote Control

**36000** cubic meter per hour (CMH)
**21176** cubic foot per minute (CFM)

## SPECIFICATION

| MODEL NO.<br>AIR FLOW | SW-149<br>36000 CMH, VARIABLE SPEED |
|---|---|
| FAN SPEED | VARIABLE SPEED |
| MOTOR & PROTECTION | LENZE (GERMANY) INVERTER & IE-3/IP-65 |
| R.P.M. | 1440RPM |
| ELECTRICITY LOAD | 100 WATT to 2.5 KW |
| VOLTAGE/WATTAGE | 415/50 |
| FAN TYPE | AXIAL FLOW |
| AIR THROW | 125 Sq. ft. Open Throw & with ducting 150 Sq. ft. |
| PRESSURE | 320 PA |
| COVERED AREA | 2500 to 3500 |
| NOISE | 20DB to 73 DB |
| WATER TANK | 55 L |
| DIMENSION | 1350x1350x1425mm |
| VENT SIZE | 800*800mm |
| PRE DUST FILTER | YES |
| CONTROL TYPE | 1 Digital Remote Control with wired & 1 Remote Cordless |
| WATER DRAIN | Auto/ Manual |
| NET WEIGHT | 152 |
| OPERATING WEIGHT | 275 |
| PRE COOLING | YES |
| PRE WASH | YES |
| CABINET MATERIAL | Poly Carbonate 100% Virgin Material |
| PHASE LOSS PROTECTION | YES |
| OVER LOAD PROTECTION | YES |
| WATER SENSOR | YES |
| FLOUT WALVE | YES |
| PAD SIZE | 970*881 mm |
| COOLING PAD HOLE SIZE | 5090 Original Finland |
| COOLING PAD THICKNESS | 100 mm |
| WATER CONSUMPTION | 35-45 Ltr./Hour |
| WATER VAPOR SIZE | 30 to 50 Microns (Very efficient to control moisture) |
| WATER PUMP TYPE | Horizontal long body 12 inches |

Sanwood
Since 1997

SW-145
36000 CMH

**36000** cubic meter per hour (CMH)
**21176** cubic foot per minute (CFM)

## SPECIFICATION

| MODEL NO.<br>AIR FLOW | SW-145<br>36000 CMH, SINGLE SPEED |
|---|---|
| FAN SPEED | SINGLE SPEED |
| MOTOR & PROTECTION | LENZE (GERMANY) IE-3/IP65 |
| R.P.M. | 1440RPM |
| ELECTRICITY LOAD | 2.5 KW |
| VOLTAGE/WATTAGE | 415/50 |
| FAN TYPE | AXIAL FLOW |
| AIR THROW | 125 Sq. ft. Open Throw & with ducting 150 Sq. ft. |
| PRESSURE | 320 PA |
| COVERED AREA | 2500 to 3500 Sq. Feet |
| NOISE | 73 DB |
| WATER TANK | 55 L |
| DIMENSION | 1350x1350x1425mm |
| VENT SIZE | 800*800mm |
| PRE DUST FILTER | YES |
| CONTROL TYPE | Switch Control |
| WATER DRAIN | Auto/ Manual |
| NET WEIGHT | 152 |
| OPERATING WEIGHT | 275 |
| CABINET MATERIAL | Poly Carbonate 100% Virgin Material |
| PHASE LOSS PROTECTION | YES |
| OVER LOAD PROTECTION | YES |
| WATER SENSOR | YES |
| FLOUT WALVE | YES |
| PAD SIZE | 970*881 mm |
| COOLING PAD HOLE SIZE | 5090 Original Finland |
| COOLING PAD THICKNESS | 100 mm |
| WATER CONSUMPTION | 35-45 Ltr./Hour |
| WATER VAPOR SIZE | 30 to 50 Microns (Very efficient to control moisture) |
| WATER PUMP TYPE | Horizontal long body 12 inches |

Sanwood
Since 1997

**36000** cubic meter per hour (CMH)
**21176** cubic foot per minute (CFM)

## SPECIFICATION

| MODEL NO.<br>AIR FLOW | SW-136<br>36000 CMH, TWO SPEED |
|---|---|
| FAN SPEED | 2 SPEED |
| MOTOR & PROTECTION | LENZE (GERMANY) IE-2/IP-65 |
| R.P.M. | 720 RPM / 1440 RPM |
| ELECTRICITY LOAD | 3 KW (1.5 /3 KW) |
| VOLTAGE/WATTAGE | 415/50 |
| FAN TYPE | Axial Flow |
| AIR THROW | 125 Sq. ft. Open Throw & with Ducting 150 Sq. ft. |
| PRESSURE | 320 PA |
| COVERED AREA | 2500 to 3500 Sq. Feet |
| NOISE | 40DB / 73 DB |
| WATER TANK | 55 L |
| DIMENSION | 1350x1350x1425mm |
| VENT SIZE | 800*800mm |
| PRE DUST FILTER | Yes |
| CONTROL TYPE | Wired Control Electronic |
| WATER DRAIN | Auto/ Manual |
| NET WEIGHT | 152 Kg |
| OPERATING WEIGHT | 275 Kg |
| PRE COOLING | Yes |
| PRE WASH | Yes |
| CABINET MATERIAL | Poly Carbonate 100% Virgin Material |
| PHASE LOSS PROTECTION | Yes |
| OVER LOAD PROTECTION | Yes |
| WATER SENSOR | Yes |
| FLOUT WALVE | Yes |
| PAD SIZE | 970*881 mm |
| COOLING PAD HOLE SIZE | 5090 Original Finland |
| COOLING PAD THICKNESS | 100mm |
| WATER CONSUMPTION | 35-45 Ltr./Hour |
| WATER VAPOR SIZE | 30 to 50 Microns (Very efficient to control moisture) |
| WATER PUMP TYPE | Horizontal Long Body 12 inches |

Sanwood
Since 1997

**30000** cubic meter per hour (CMH)
**17657** cubic foot per minute (CFM)

## SPECIFICATION

| MODEL NO.<br>AIR FLOW | SW-127<br>30000 CMH, TWO SPEED |
|---|---|
| FAN SPEED | 2 SPEED |
| MOTOR & PROTECTION | LENZE (GERMANY) IE-2/IP-55 |
| R.P.M. | 720 HALF SPEED/1440 FULL SPEED |
| ELECTRICITY LOAD | HALF SPEED 1.5 KW/ FULL SPEED 2.8 KW |
| VOLTAGE | 415/50 |
| AIR DISCHARGE | DOWN/TOP |
| FAN TYPE | AXIAL FLOW |
| AIR THROW | 90 Sq. ft. Open throw & Ducting 115 sq. Ft. |
| PRESSURE | 280Pa |
| COVER AREA | 1500-2000 Sq. Feet |
| NOISE | 45DB & 73DB |
| WATER TANK | 55 L |
| WATER CONSUMPTION | 35-45 Ltr./Hour |
| DIMENSION | 1340x1340x1150 mm |
| VENT SIZE | 800x800 mm |
| PAD SIZE | (840+30)*900*120 mm |
| COOLING PAD HOLE SIZE | 5090 Original Finland |
| PRE DUST FILTER | YES |
| CONTROL TYPE | Mechanical Button |
| WATER INLET | AUTO |
| WATER DRAIN | AUTO/MANUAL |
| CABINET MATERIAL | Poly Carbonate 100% Virgin Material |
| PUMP PROTECTION | YES |
| PHASE LOSS PROTECTION | YES |
| OVER LOAD PROTECTION | YES |
| WATER CONSUMPTION | 35-45 Ltr./Hour |
| WATER VAPOR SIZE | 30 to 50 Microns (Very efficient to control moisture) |
| NET WEIGHT | 145 Kg |
| OPERATING WEIGHT | 250 Kg |
| WATER PUMP TYPE | Horizontal Long Body 12 inches |

Sanwood
Since 1997

SW-111
24000 CMH

Button System

**24000** cubic meter per hour (CMH)
**14117** cubic foot per minute (CFM)

## SPECIFICATION

| MODEL NO.<br>AIR FLOW | SW-111<br>24000 CMH, SINGLE SPEED |
|---|---|
| FAN SPEED | SINGLE |
| R.P.M. | 1140 |
| ELECTRICITY LOAD | 1.6 KW |
| VOLTAGE | 415/50 |
| AIR DISCHARGE | DOWN/TOP |
| FAN TYPE | AXIAL FLOW |
| AIR THROW | 75 Sq. ft. Open throw & Ducting 95 sq. Ft. |
| PRESSURE | 220Pa |
| COVER AREA | 1500-2000 Sq. Feet |
| FREQUENCY | 50 Hz |
| NOISE | 72DB |
| WATER TANK | 55 L |
| WATER CONSUMPTION | 30-40 Ltr./Hour |
| DIMENSION | 1340X1340X1150 mm |
| VENT SIZE | 800x800 mm |
| PAD SIZE | (840+30)*900*120 mm |
| COOLING PAD HOLE SIZE | 5090 Original Finland |
| PRE DUST FILTER | YES |
| CONTROL TYPE | BUTTON SYSTEM |
| CABINET MATERIAL | Poly Carbonate 100% Virgin Material |
| PHASE LOSS PROTECTION | YES |
| OVER LOAD PROTECTION | YES |
| WATER INLET | AUTO |
| WATER DRAIN | AUTO / MANUAL |
| NET WEIGHT | 135 Kg |
| OPERATING WEIGHT | 250 Kg |
| WATER PUMP TYPE | Horizontal Long Body 12 inches |

Sanwood
Since 1997

SW-109
18000 CMH

Digital Remote Control

**18000** cubic meter per hour (CMH)
**10588** cubic foot per minute (CFM)



## SPECIFICATION

| MODEL NO. | SW-109 |
|---|---|
| AIR FLOW | 18000 CMH, VARIABLES SPEED |
| FAN SPEED | VARIABLES SPEED |
| MOTOR & PROTECTION | LENZE (GERMANY) INVERTER & IE-3/IP-65 |
| R.P.M. | 1440 |
| ELECTRICITY LOAD | 1.0 Amp TO 4.1 Amp |
| VOLTAGE/WATTAGE | 220 V, 1.1 KW |
| AIR DISCHARGE | DOWN/TOP |
| FAN TYPE | AXIAL FLOW |
| AIR THROW | 60 Sq. ft. Open throw & Ducting 80 sq. Ft. |
| PRESSURE | 180Pa |
| COVER AREA | 1000-1200 Sq. Feet |
| FREQUENCY | 50 Hz |
| NOISE | 68dB |
| WATER TANK | 45 Ltr. |
| WATER CONSUMPTION | 20-25 Ltr./Hour |
| DIMENSION | 1170X1170X1050mm |
| VENT SIZE | 675X675 mm |
| PAD SIZE | (675+30)*790*100 mm |
| COOLING PAD HOLE SIZE | 5090 Original Finland |
| PRE DUST FILTER | YES |
| CABINET MATERIAL | Poly Carbonate 100% Virgin Material |
| PHASE LOSS PROTECTION | YES |
| OVER LOAD PROTECTION | YES |
| CONTROL TYPE | LCD + REMOTE |
| WATER INLET | AUTO |
| WATER DRAIN | AUTO/MANUAL |
| OVER LOAD PROTECTION | YES |
| NET WEIGHT | 85 Kg |
| OPERATING WEIGHT | 150 Kg |
| WATER PUMP TYPE | Horizontal Long Body 12 inches |

Sanwood
Since 1997

SW-106
18000 CMH




Button System

**18000** cubic meter per hour (CMH)
**10588** cubic foot per minute (CFM)

## SPECIFICATION

| MODEL NO.<br>AIR FLOW | SW-106<br>18000 CMH, SINGLE SPEED |
|---|---|
| FAN SPEED | SINGLE SPEED |
| MOTOR & PROTECTION | IE-2/IP-55 |
| R.P.M. | 1440 |
| ELECTRICITY LOAD | 2.2 Amp/1.1KW |
| VOLTAGE | 415/15 |
| AIR DISCHARGE | DOWN/TOP |
| FAN TYPE | AXIAL FLOW |
| AIR THROW | 60 Sq. ft. Open throw & Ducting 80 sq. Ft. |
| PRESSURE | 180Pa |
| COVER AREA | 1000-1200 Sq. Feet |
| FREQUENCY | 50 Hz |
| NOISE | 68dB |
| WATER TANK | 45 Ltr. |
| WATER CONSUMPTION | 20-25 Ltr./Hour |
| DIMENSION | 1170X1170X1050mm |
| VENT SIZE | 675X675 mm |
| PAD SIZE | (675+30)*790*100 mm |
| COOLING PAD HOLE SIZE | 5090 Original Finland |
| PRE DUST FILTER | YES |
| CONTROL TYPE | SWITCH CONTROL |
| WATER INLET | AUTO |
| WATER DRAIN | AUTO/MANUAL |
| CABINET MATERIAL | Poly Carbonate 100% Virgin Material |
| PHASE LOSS PROTECTION | YES |
| OVER LOAD PROTECTION | YES |
| NET WEIGHT | 78 Kg |
| OPERATING WEIGHT | 150 Kg |
| WATER PUMP TYPE | Horizontal Long Body 12 inches |

Sanwood

# EXHAUST FAN




**68000** cubic meter per hour (CMH)
**40000** cubic foot per minute (CFM)



Outside Front View



Side View
Outside Plant

Plant Inside
Back View

## DC MOTOR SINGLE PHASE OPTIONAL




A brushless DC electric motor, also known as an electronically commutated motor, is a synchronous motor using a direct current electric power supply.

Make FUJI Japan
DC Motors (RPM - 630) | 1.2 KW | 220/50/IP66
68000 cubic meter per hour (CMH)
40000 cubic foot per minute (CFM)

## SPECIFICATION

| MODEL NO. | SW-248 |
|---|---|
| MAX AIR FLOW ($M^3$/H) | 68000 |
| MAX AIR FLOW ($F^3$/M) | 40000 |
| RPM (R/M) | 630 |
| ELECTRIC LOAD (KW) | 2.2 |
| NOISE (DB) | 58 |
| VOLTAGE | 415/50 |
| IMPELLER SIZE (M/M) | 1260 |
| PRODUCT SIZE M(M/M) | 1460x1460x1180 |
| CONSTRUCTION OF EXHAUST FAN | |
| HOSING OUTER CABINET | SMC Fiber Glass Moulding Compound |
| EXHAUST FAN CONE | SMC Fiber Glass Moulding Compound |
| BLADES ALUMINIUM | HPDC ADC12 |
| BLADES DESIGN | Whale Fin Design |
| MOTOR | 100% Copper Winding |
| MOTOR MAKE | OFS Limited |
| MOTOR CABINATE | Aluminium with Heatsink |
| EXHAUST FAN SHUTTER | Aluminium & PVC Material |
| MOTOR DRAFT COVER | PVC |
| MOTOR LEGS | Fiber Glass Material |
| WIRE GUARDS | Iron Metal Powder Coated |
| PRODUCT WEIGHT | 82 Kgs |

SPECIFICATION

| MODEL NO. | SW-246 |
|---|---|
| MAX AIR FLOW (M3/H) | 62000 |
| MAX AIR FLOW (F3/M) | 36470 |
| RPM (R/M) | 580 |
| ELECTRIC LOAD (KW) | 1.8 |
| NOISE (DB) | 55 |
| VOLTAGE | 415/50 |
| IMPELLER SIZE (M/M) | 1260 |
| PRODUCT SIZE M(M/M) | 1460x1460x1180 |
| CONSTRUCTION OF EXHAUST FAN | |
| HOSING OUTER CABINET | SMC Fiber Glass Moulding Compound |
| EXHAUST FAN CONE | SMC Fiber Glass Moulding Compound |
| BLADES ALUMINIUM | HPDC ADC12 |
| BLADES DESIGN | Whale Fin Design |
| MOTOR | 100% Copper Winding |
| MOTOR MAKE | OFS Limited |
| MOTOR CABINATE | Aluminium with Heatsink |
| EXHAUST FAN SHUTTER | Aluminium & PVC Material |
| MOTOR DRAFT COVER | PVC |
| MOTOR LEGS | Fiber Glass Material |
| WIRE GUARDS | Iron Metal Powder Coated |
| PRODUCT WEIGHT | 77 Kgs |
| ROOF TOP HOUSING WEIGHT | 80 Kgs |

**62000** cubic meter per hour (CMH)
**36470** cubic foot per minute (CFM)

## PARTS & ACCESSORIES

MOTOR
Copper Winding & Aluminium Cabinate with Heatsink

ALUMINUM
HPDC ADC12



NYLON
Blades

45 DEGREE CONE
Fiber Glass

SHUTTER
Aluminium & PVC Material

IRON METAL WIRE GUARD

MOUNTING LEGS
Fiber Glass

FAN CONE
SMC Fiber Glass Moulding Compound

FAN HOUSING
SMC Fiber Glass Moulding Compound

ROOFTOP HOUSING
Fiber Glass

Sanwood
Since 1997



SW-239
58000 CMH

**58000** cubic meter per hour (CMH)
**34117** cubic foot per minute (CFM)

## THE ADVANTAGE OF **SMC SERIES**

**Fan Housing, Blades Mounting Arm are made intergrative Shaping**
**Low Contractibility, weatherproof.**
**Low noise, 20% decrease of volume than FRP series.**
**Same HP, 20% increase of wind power than FRP series.**
**Saving 20% of power than FRP series.**
**Eco-Tech and Durable 70% of SMC composite are not from the oil**

## SPECIFICATION

| MODEL NO. | SW-239 |
|---|---|
| MAX AIR FLOW (M3/H) | 58000 |
| MAX AIR FLOW (F3/M) | 34117 |
| RPM (R/M) | 630 |
| ELECTRIC LOAD (KW) | 1.6 |
| NOISE (DB) | 55 |
| VOLTAGE | 415/50 |
| IMPELLER SIZE (M/M) | 1120 |
| PRODUCT SIZE M(M/M) | 1260x1260x1060 |
| CONSTRUCTION OF EXHAUST FAN | |
| HOSING OUTER CABINET | SMC Fiber Glass Moulding Compound |
| EXHAUST FAN CONE | SMC Fiber Glass Moulding Compound |
| BLADES ALUMINIUM | HPDC ADC12 |
| BLADES DESIGN | Whale Fin Design |
| MOTOR | 100% Copper Winding |
| MOTOR MAKE | OFS Limited |
| MOTOR CABINATE | Aluminium with Heatsink |
| EXHAUST FAN SHUTTER | Aluminium & PVC Material |
| MOTOR DRAFT COVER | PVC |
| MOTOR LEGS | Fiber Glass Material |
| WIRE GUARDS | Iron Metal Powder Coated |
| PRODUCT WEIGHT | 65 Kgs |

SW-227
45000 CMH

**45000** cubic meter per hour (CMH)
**26470** cubic foot per minute (CFM)

**SMC illustration**




**The advantage of SMC** :

①Automated production.

②The size of product has high precision.

③The smooth frame doesn't need to decorate once more.

④**Integrative shape.**

## SPECIFICATION

| MODEL NO. | SW-227 |
|---|---|
| MAX AIR FLOW (M3/H) | 45000 |
| MAX AIR FLOW (F3/M) | 26470 |
| RPM (R/M) | 630 |
| ELECTRIC LOAD (KW) | 1.2 |
| NOISE (DB) | 52 |
| VOLTAGE | 415/50 |
| IMPELLER SIZE (M/M) | 920 |
| PRODUCT SIZE M(M/M) | 1060x1060x1010 |
| CONSTRUCTION OF EXHAUST FAN | |
| HOSING OUTER CABINET | SMC Fiber Glass Moulding Compound |
| EXHAUST FAN CONE | SMC Fiber Glass Moulding Compound |
| BLADES ALUMINIUM | HPDC ADC12 |
| BLADES DESIGN | Whale Fin Design |
| MOTOR | 100% Copper Winding |
| MOTOR MAKE | OFS Limited |
| MOTOR CABINATE | Aluminium with Heatsink |
| EXHAUST FAN SHUTTER | Aluminium & PVC Material |
| MOTOR DRAFT COVER | PVC |
| MOTOR LEGS | Fiber Glass Material |
| WIRE GUARDS | Iron Metal Powder Coated |
| PRODUCT WEIGHT | 47 Kgs |

Sanwood
Since 1997



## SW-222
32000 CMH

**32000** cubic meter per hour (CMH)
**18823** cubic foot per minute (CFM)

**C Band of Exhaust Fan**
**Product Code :**
**SW-201**

## SPECIFICATION

| MODEL NO. | SW-222 |
|---|---|
| MAX AIR FLOW (M3/H) | 32000 |
| MAX AIR FLOW (F3/M) | 18823 |
| RPM (R/M) | 690 |
| ELECTRIC LOAD (KW) | 900 Watts |
| NOISE (DB) | 55 |
| VOLTAGE | 415/50 |
| IMPELLER SIZE (M/M) | 720 |
| PRODUCT SIZE M (M/M) | 850x850x930 |
| CONSTRUCTION OF EXHAUST FAN | |
| HOSING OUTER CABINET | SMC Fiber Glass Moulding Compound |
| EXHAUST FAN CONE | SMC Fiber Glass Moulding Compound |
| BLADES ALUMINIUM | HPDC ADC12 |
| BLADES DESIGN | Whale Fin Design |
| MOTOR | 100% Copper Winding |
| MOTOR MAKE | OFS Limited |
| MOTOR CABINATE | Aluminium with Heatsink |
| EXHAUST FAN SHUTTER | Aluminium & PVC Material |
| MOTOR DRAFT COVER | PVC |
| MOTOR LEGS | Fiber Glass Material |
| WIRE GUARDS | Iron Metal Powder Coated |
| PRODUCT WEIGHT | 31.5 Kgs |



Rooftop exhaust fan Housing & Profile sheets
Housing Size: 5ft. x 5ft. x 5ft. (L x W x H)
Profile Sheet Size: 7ft. x 8ft.  (L x W)

## Hight Volume Low Speed Fan




The size of fan: the maximum diameter of fan running is 7.3 meters

Sanwood Fan can greatly increase afficiency, reduce noise and increase the airflow

## Sanwood Wind Emperor

Airflow Up To 4,50,000

Whale Fin Design

Sanwood
Since 1997

# HVLS fans

## ADVANTAGES

- Low AC Cost
- Improve working climate & employees productivity
- Nature Air Cooling &Ventilation
- Keep healthy and large fresh Air Reducing bacteria, fog, mildew caused damage drying the wet Areas.

## Based On Whale Fin Design









**Motor Efficiency Class**

IEC/EN 60034-30

### Fan Control Board

- Standard Speed Controller (Inverter)
- External Touch Screen (HMI)
- Inboard Ventilation And Temperature Control
- Add-on Fan Control Options

# Sanwood FOOTPRINTS

HONEST INDIA
HONEST SANWOOD



# OUR CLIENT LIST

## HARYANA

A.K AUTOMATICS, ROHTAK | ADITYA STEEL INDUSTRIES, KAITHAL | AJAY POLYMERS, HISAR | AJC LEASING & FINANCE COMPANY LLP, FARIDABAD | ALPHA FOOD INTERNATIONAL, HISAR | AUTO INTERNATIONAL, BINOLA | B.K AUTOMATICS, ROHTAK | BALA JI ACADEMY (HISAR CANTT.), HISAR | BHAGWAN PRECISION PVT. LTD., ROHTAK | BS TECHNOLOGIES, BAHADURGARH | BUILDMART FURNISHING SHOPPING MALL, HISAR | BLW ENGINE VALVE PRIVATE LIMITED, BAHADURGARH | CHOUDHARY ENTERPRISES, HISAR | CLADDING PROJECT PRIVATE LIMITED C LAL ALLOYS (P) LIMITED, PALWAL | C LAL BRIGHT STEEL PRIVATE LIMITED, PALWAL | CUIR INDE, GURUGRAM | DEV JI STEEL INDUSTRY, TALWANDI HISAR | DPI EXIM PVT. LTD. SONIPAT | DR. B.B. BANGA, HISAR | DILLI ELECTRIC AUTO PRIVATE LIMITED, SONIPAT | DISTRICT BAR ASSOCIATION, HISAR (HR) | EQUINE BREEDING STUD (GHODA FARM), HISAR | ENGPAR INTERNTIONAL PVT. LTD. , ROHTAK GANPATI ENTERPRISES, HISAR | GANPATI STEEL INDUSTRY, SECTOR 28 HISAR | GIRIRAJ COATED FAB PVT LTD. | GUPTA OXYGEN GASES PVT. LTD., HISAR | GURDWARA NAGORI GATE, HISAR | SHRI HARYANA KURUKSHETRA GAUSHALA, HISAR | HISAR STAINLESS STEEL PIPES CO. | HOLLY HELP HOSPITAL | H.R.M POLYPLAST PRIVATE LIMITED | IMPERIUM ELECTRIC COMPANY | INDRANI AUTOMOTIVES, MANESAR JAIN ELECTROPLAST PRIVATE LIMITED, SONIPAT | JAY BHARAT MARUTI LIMITED, MANESAR | JAY BHARAT INDUSTERIES, HISAR | JBM INDUSTRIES LIMITED-FARIDABAD | JBM ENVIRONMENT MANAGEMENT PVT. LTD. | JBM E.V INDUSTERIES PRIVATE LTD. , PALWAL | JCM STAINLESS PRIVATE LIMITED, HISAR | JNB STEEL, HISAR | JSG INNOTECH PVT. LTD. , SONIPAT | JINDAL SPECIAL PRODUCTS PVT. LTD. , JHAJJAR | KAUSHAL VATIKA CHARITY TRUST, HISAR | KART PRINT, HISAR | KAUSHAL VATIKA, HISAR | KURUKSHETRA GOSHALA, HISAR | LAZEEZ HOTEL & RESTAURENT, HISAR | LIFE LINE HOSPITAL, HISAR | M.G. CLUB RESORT, HISAR | M.P. SONS (PLYWOOD INDUSTRIES), HISAR | MAHIPAL CERAMICS PVT. LTD. HISAR | MANISH VINYLS PVT. LTD., FARIDABAD | MAT BRAKES INDIA PVT. LTD. , SONIPAT | MEDICITY MULTISPECIALITY HOSPITAL, HISAR MERINO POLYPAC , BAHADURGARH | MICRO TURNERS, GURUGRAM | MILITARY HOSPITAL , HISAR CANTT. | MILITARY STATION DIVISION 433, HISAR CANTT. | VIKAS STAINLESS STEEL PVT LTD., HISAR MODVAK ENGINEERING INDIA PRIVATE LIMITED, BAHADURGARH | NANDESHWAR TUBE MILL, HISAR | NEEL METAL PRODUCT LTD. , BEHRAMPUR (HARYANA) | NEEL METAL PRODUCTS LTD. , GURGAON OLYMPIC ENGINEERS PVT LTD, GURUGRAM | O.P. JINDAL INSTITUTE (CANCER & CARDIAC ), HISAR | PRECISE AUTO COMPONENT, ROHTAK | PRIME SEEDS, HISAR | RAWALWASIA OIL INDUSTRY PVT LTD. RADHA DOORS, HISAR | RAMSON STAINLESS, HISAR | RBS HOTELS & RESORTS (HOTEL POSH) PVT. LTD. HISAR | RAVI SEAMLESS PIPES STEELS PVT. LTD., HISAR | RAVINDRA TUBES PVT. LTD., HISAR | SRC AGRO FOODS, SIRSA | SARASWATI SUPER MARKET, HISAR | SHIIV SHANKAR PLYWOOD, BAHADURGARH SHREE BHAGWAN SPINNERS, PANIPAT SHREE SHYAM SNACKS FOOD PVT. LTD., HISAR | SHRI LAXMI METAL, HISAR | SHRI RAM ASHIRWAD STONE CRUSHER, HISAR | SHUBH FOOD AGRO INDUSTRIES, HISAR | MR. SHANKY GOYAL (HOUSE OF TANISHQ) | MR. DEEPAK (SHRI RAM STONE CRUSHER) | SKY VISION INDIA PVT. LTD. , HISAR SOUL KITCHEN, HISAR | SONAKSHI HOSPITAL,HISAR SUNBEAM ENTERPRISES , GURGAON | SUNRISE STEEL INDUSTRIES, HISAR KRISHNA CLASSES, HISAR | SWASTIK AGRO PRODUCTS, SIRSA TIGHTWELL FORGINGS LTD. PANIPAT UNIVERSAL PRECISION SCREWS, ROHTAK | WELL PUMP, HISAR | WINTRA PEB & ROOFING SYSTEMS PVT. LTD. SONIPAT | WINTRA PEB & ROOFING SYSTEMS PVT. LTD. SONIPAT SHREE GURUDWARA SHREE SAI SABHA. HISAR | SLC INDUSTRIES INDIA PVT. LTD. SONIPAT | SHAKTI VARDHAK HYBRID SEEDS PVT. LTD. HISAR | SHRI LAXMI METAL, HISAR | RIDHI SIDHI STEELS, HISAR | 4S SYNERGIES PVT. LTD., KUNDLI, SONIPAT

# OUR CLIENT LIST

## UTTAR PRADESH

ACCUMEN LAMINATORS LLP, KANPUR | ADITYA FLEXIPACK PVT. LTD. KANPUR | ADITYA FLEXIPACK PVT. LTD. KANPUR | ADVANCE COOLING CORPORATION (MR. SANJEEV BANSAL), KANPUR AJAY GUPTA (ARCHITECT-HIGHLY RECOMMENDABLE PRODUCT), KANPUR | AMBAJI FOOD INDIA P.LTD. KANPUR | ANNAKUT BISCUITS CO PVT. LTD. | APEX COATERS & PRINTER LLP | APL APOLLO TUBE LIMITED, UNIT - 1, SIKANDRABAD | APOLLO METALEX PVT. LTD.UNIT-II & UNIT - 3, BULANDSHEHAR | ARYAN ENTERPRISES (MR. VISHWAS CHAUDHARY), KANPUR | B D FOOD PVT LTD, KANPUR | BALAJI BAKER PRIVATE LIMITED, KANPUR | BD FOOD, VARANASI | COMPLETE SURVEYING TECHNOLOGIES PVT. LTD., NOIDA | CUM RAMA KRISHNA BAKER, KANPUR DESIGNCO, MORADABAD | DIKSHA SPRINGS PVT. LTD., NOIDA | DLJM MOLDING PVT. LTD. TRONICA CITY, GHAZIABAD | FLOWMORE LIMITED, GHAZIABAD | GANGA INDUSTRIES, LUCKNOW | GDK SOLUTIONS, KANPUR | GLOBAL EXPORT, KANPUR GLORIA ENGINEERING COMPANY, LUCKNOW | GOKUL FOOD PRIVATE LIMITED, KANPUR | GOYAL BROTHER PARKASHAN, NOIDA | GR CORPORATION, KANPUR | HI TECH PIPE LIMITED, SIKANDERABAD | JITENDER PANDAY, KANPUR | K.S. POLYMERS, GREATOR NOIDA KANPUR EDIABLES PVT. LTD, KANPUR | KAY SONS PVT. LTD., GREATOR NOIDA | KESARI FOOD PRODUCT, KANPUR. | KN FOOD INDUSTRY PRIVATE LIMITED | KN SAVOURY PRODUCTS PVT. LTD., KANPUR | KRISHNA SHYAMA FOODS PVT. LTD. KANPUR | LG ELECTRONICS PVT. LTD., GREATOR NOIDA | M/S KUSHAL FOODS PVT.LTD., KANPUR | M/S SUBHASH AGRO INDUSTERIES PVT LTD. , KANPUR | M/S TEXT HORSE, KANPUR | MADHAV BISCUIT, KANPUR (A PARLE G UNIT) MASCOT METAL MANUFATCURES, ALIGARH | MAT BRAKES INDIA PVT. LTD., NOIDA | (MORANO NAMKEEN) MILTO FOOD PRODUCTS, KANPUR | MOTOR SALE CORPORATION, KANPUR | NATURE FRESH ENTERPRISE, VARANANSI | NAVEEN PRINT & PACK PVT. LTD. | OM RAJ FOOD, KANPUR | PRAVARTAKA TOOLING SERVICES PVT. LTD., GREATER NOIDA | PAWAN BAKER & CONFECTIONERIES PVT. LTD. KANPUR | PIONEER ENGINEERING TOOLING SERVICES, GREATOR NOIDA | RAKSHIT ENGG. WORKS PVT. LTD., KANPUR RANA HOSPITAL, NOIDA | RASIK PRODUCT PVT. LTD. , MATHURA | RBS MOTORS - HERO MOTOCORP-ASHOK NAGAR, KANPUR | RBS MOTORS - HERO MOTOCORP-NAUBASTA, KANPUR | RIDHI SIDHI PACKAGERS, KANPUR | S.S. CORPORATE PRINT HOUSE PVT. LTD. KANPUR | SANTOSH STATIONERY PVT. LTD. , VARANASI | SEKISUI DLJM MOLDING PVT. LTD. NOIDA | SELZER INNOVEX PVT. LTD. KANPUR SHARDA INDUSTRIES, LUCKNOW | SHINO PAINTS, KANPUR | SHREE BALAJI PRINT PACK, KANPUR | SHREE JI INTERNATIONAL INDUSTRIES, LUCKNOW | SHREE KRISHNA KIRPA SHANI DEO TRUST, KANPUR SHREE NATH JI BAKERS, VARANASI | SHREE SANATAN DHARM EDUCATION CENTRE, KANPUR | SHREE TIRUPATI BALAJI INDUSTRY PVT. LTD VARANASI (UNIT I & II) | SPARSH INDUSTERIES PVT. LTD. KANPUR | SPI PICK FOODS (GOLDIEE MASALE), KANPUR | STRAWBERRY STUDIO EXPORT PRIVATE LIMITED, NOIDA | SURENDRA SADDLERY, KANPUR | TIRUPATI BAKER PVT. LTD. PRAYAGRAJ | TRIMAXINC PRECISION TOOLING PVT. LTD., GREATER NOIDA | VIKRAM ARYA BAKER, GAJRAULA (A PATANJALI UNIT) | VINAYAK ULTRAFLEX PVT. LTD., KANPUR | VIRAJ SYNTEX PVT. LTD. KANPUR

## BIHAR

SPD SNACKS INDUSTRIES LLP PATNA, BIHAR

# OUR CLIENT LIST

## PUNJAB

AMBER INDUSTRIES EXPORT, LUDHIANA | ANANDPUR ASHRAM, BATHINDA | ARUN LOGISTICS (INDANE GAS), LUDHIANA | ASHWANI DYEING & KNIT FABRIC, LUDHIANA AWAL ENGINEERING, LUDHIANA | CHARAN ELECTRIC CO., LUDHIANA | COLDMATIC FORGE PVT. LTD., LUDHIANA | DIMPLE PACKAGING PVT. LTD., LUDHIANA | EKTA DYEING, LUDHIANA | EULER MOTORS PRIVATE LIMITED, LUDHIANA | EURO CAST & FORGE, LUDHIANA | FORGIX PRIVATE LIMITED, LUDHIANA | GANGA TRADERS, MUKTSAR | GOGO INDUSTRIES, LUDHIANA | GUPTA PRINTERS, LUDHIANA | GUPTA PRINTERS-LUDHIANA | HRM POLY PLAST, BARNALA | JAWAHAR SONS TEXTILES, LUDHIANA | KNITWELL INDIA PRIVATE LIMITED UNIT 2, PUNJAB | LAYALLPUR SWEETS, LUDHIANA | NAVYUG NAMDHARI ENTERPRISES, LUDHIANA | NEW SWAN ENTERPRISES, LUDHIANA | PAWAN ENTERPRISES, LUDHIANA | PRECIOUS FASTNER PVT. LTD., LUDHIANA | PRO PACK PPVT. LTD., RAJPURA | SOMIK ENTERPRISES PVT. LTD., LUDHIANA | SONALIKA INDUSTRIES, HOSHIARPUR | SONALIKA INTERNATIONAL TRACTORS, HOSHIARPUR | SHRI TOOLS INDUSTRIES, LUDHIANA | SWEETY KNIT FABRIC, LUDHIANA | TECHNO PET LLP, FATEHGARH | TULSI KNIT HOSIERY COMPLEX, LUDHIANA | ZBROS INDUSTRY PRIVATE LIMITED, FEROZPUR

## DELHI

APL CO PTE LTD , NEW DELHI | AUTOMAT IRRIGATION PVT. LTD., PARPAR GANJ | BATRA SHOPPING MALL, FRIENDS COLONY | JAIN PLASTIC CORPORATION, NARELA | KIRAN PLASTIC, BAWANA | PRAKASH SHRINK PACK INDIA , DELHI | SHREE ANANDPUR ASHRAM, ROJORI GARDON | TOPSON PLAST, BAWANA

## JHARKHAND

GLORIA ENGINEERING COMPANY, JAMSHEDPUR | MULTITECH COMPONENT PVT. LTD., JAMSHEDPUR | SIGMA HTS LLP. , JAMSHEDPUR | SURAJ LOGISTIX PVT. LTD., JAMSHEDPUR | TIMKEN INDIA LIMITED, JAMSHEDPUR

## CHATTISGARH

APL APOLLO TUBE PRIVATE LIMITED , RAIPUR

## NEPAL

DEVAKI ENTERPRISES, BIRAT NAGAR | PIYA PLASTIC INDUSTRIES, CHITWAN | SUJAL PLASTICS PVT. LTD., POKHARA

# OUR CLIENT LIST

## RAJASTHAN

ACCRETION INDUSTRIES, KISHANGARH | BAHETI POLYFAB PRIVATE LIMITED, BHILWADA | GOPAL FLEXO PACKERS, AJMER | KNITPRO INTERNATIONAL, JAIPUR | NEW SWAN ENTERPRISES (UNIT-IV) TAPKARA, BHIWADI | NEW SWAN ENTERPRISES, TAPUKHEDA | ROYAL PLASTOCRAFT PVT. LTD. NEEMRANA | SHREE CHANCHAL INDUSTRIES (P) LTD., JODHPUR | SHREE JI MARKETING, BHILWADA | UTTAM PLASTOMERS PVT. LTD., BHIWADI

## TAMIL NADU

DYNAGRO OVERSEAS, COIMBATORE | G RAM DASS ELECTRCIAL AGENCIES, COIMBATORE | JAY BHARAT MARUTI LIMITED, CHENNAI | JAY BHARAT MARUTI LIMITED, HOSOUR | JBM AUTO SYSTEM PRIVATE LIMITED, KANCHIPURAM | M/S INDRANI AUTOMOTIVE & ENGINEERING, CHENNAI | NEEL AUTO PVT. LTD. HOSUR | SEKISUI DLJM MOLDING PVT. LTD. MADRAS
SELZER ELECTRONICS LTD. , COIMBATORE

## KARNATKA

APOLLO TRICOAT TUBE LIMITED, BENGALURU | APJ INVESTMENT PRIVATE LIMITED, HOSUR

## TELANGANA

AGI GREENPAC LTD, SANATHNAGAR - HYDERABAD | AGI GREENPAC LTD, BHONGIR - HYDERABAD | M/S HSIL LTD. , HYDERABAD

## UTTRAKHAND

AUTOMAT IRRIGATION PVT. LTD., HARIDWAR | BHAGWAN PRECISION PVT. LTD., HARIDWAR | KUMAON PACKING INDUSTRIES LLP, SITARGANJ | APJ INVESTMENT PRIVATE LIMITED, PANTANAGAR

## MADHYA PRADESH

ENVIRO RECYCLING PVT LTD, INDORE | GODAVARI NUTRIFOODS PRIVATE LIMITED, GWALIOR (M.P) | ACME UNIVERSAL SAFE ZONE 9 PVT. LTD. GWALIOR

## ASSAM

KL BEVERAGES, GUWAHATI (A UNIT OF PARLE AGRO) | RIDHI SIDHI INFRACON PVT. LTD. GUWAHATI

# OUR CLIENT LIST

## WEST BENGAL

ZEBRA PACKS PVT. LTD., KOLKATA | WIN PENS PVT. LTD.-SRIJAN, KOLKATA | ANNAPURNA SWEETS PVT. LTD. , KOLKATA | AMUST WATER PRODUCTS PVT. LTD. , KOLKATA | WIN PENS PVT. LTD.-SANKRAIL, KOLKATA | SHIVA PRINTERS, KOLKATA | AGLO POLYMERS PVT. LTD., KOLKATA | KAMAL CAKE & CONFICTIONERY PVT. LTD., KOLKATA | AVERY DENNISION INDIA PVT. LTD., KOLKATA DOLSWAP BUSINESS PVT. LTD., KOLKATA | D.S. CREATIONS, KOLKATA | ATISHAYA POLY PETT PVT. LTD., HOWRAH | CREATIVE HAND ART MATERIAL PRIVATE LIMITED, KOLKATTA | UDI SALES PVT LTD. , SANKRIAL KOLKATA | SALASAR INDUSTRY (A UNIT OF PARLE G) KOLKATA | SHANTI INTERNATIONAL, KOLKATA | TERRIFFIC ELECTRICAL LLP, KOLKATA | AGLO PACKAGING LTD., KOLKATA BHAGWATI FOODS PPVT LTD, KOLKATA | SAI INDUSTRY, KOLKATA | GANESH GRAIN, HOWRAH KOLKATA | INDOPET POLYMER PRIVATE LIMITED, KOLKATA | VEDANT FASHION LTD. (MANYAVAR), KOLKATA

## JAMMU

VARINDER KUMAR RAMAN KUMAR, JAMMU | KITCHEN CRAFT, JAMMU | BIRTCO - BIRTY SHAH, JAMMU | SAINIK SCHOOL NAGROTA, JAMMU | BORDERLESS WORLD FOUNDATION, JAMMU (BOMBAY)

## HIMACHAL PRADESH

NEEL METAL PRODUCTS PVT. LTD., NALAGARH | TECHNO PLASTIC INDUSTRY SIGNORA GROUPS, KALIYAM | HINDUSTAN CLOSURES PRIVATE LIMITED, SOLAN | PRO PACK PVT. LTD. PARWANOO

## GUJARAT

ACRYSIL LIMITED, BHAVNAGAR | FREUDENBERG GALA HOUSEHOLD PRODUCCT. PVT. LTD., ANAND | JAY BHARAT MARUTI LIMITED, VITHLAPUR | NEEL METAL PRODUCTS PVT. LTD. VITHLAPUR | NEW SWAN MULTITECH LIMITED, AHMEDABAD | PATEL TECHNOCAST PVT. LTD. SANTEJ, AHMEDABAD | SAI INDUSTRIES PVT. LTD. UNIT 2 -KHEDA, AHMEDABAD | SEKISUI DLJM MOLDING PVT. LTD., AHEMDABAD | TECHNO AUTO PRODUCTS, SANTEJ

## MAHARASTHRA

GLORIA ALUMINIUM PRIVATE LIMITED, PUNE | PAGARIYA CONSUMER FOOD PVT. LTD. NAGPUR | JUST KITCHENS PRIVATE LIMITED, NAGPUR | APL APOLLO TUBES PVT. LTD. MUMBAI | AURANGABAD AUTO ENGINEERING PRIVATE LIMITED, (M.H) | S.N. CASTING, PUNE | SANGKAJ AUTO COMPONENT PVT. LTD. | TRAYMBKESHWAR FOOD PVT. LTD. NASIK | APJ INVESTMENT PRIVATE LIMITED, PUNE

# Sanwood
## FOOTPRINTS

HONEST INDIA
HONEST SANWOOD






163

TEMPERATURE
BEETECH

OUR CREDENTIALS
ISO

NOTARY

POCKETING
SECTION

Sanwood

Sanwood
AIR COOLERS | EXHAUST FANS | STABILIZERS
Welcomes

Sanwood
Sanwood

Sanwood
Sanwood
Sanwood
Since 1997
AIR COOLERS | EXHAUST FANS | STABILIZ

UR CREDENTIALS
FSSC 22000
FOOD SAFETY
ISO 15378
GMP
ISO 50001
ENERGY
FSSC 22000
ISO
n Foot Print & Energy Management
Great Place To Work.
Certified

Sanwood

Sanwood

Sanwood

Sanwood

Sanwood

Sanwood

Sanwood

Sanwood

Sanwood

Sanwood




Ipsen





Sanwood

Samwood



MOTOR STARTER





HONEST INDIA
HONEST SANWOOD

# Sanwood

**INDUSTRIAL EVAPORATIVE AIR COOLERS | INDUSTRIAL EXHAUST FANS | HVLS CEILING FANS | HVLS POLE FANS**

## AIR CONDITIONER & MAIN LINE STABILIZERS

Sanwood
Sanwood India Private Limited
Plot No. 188, Sector 27 & 28, Hisar 125005 Haryana

www.sanwood.in
sanwood7@outlook.com

**Sales Team**
82220 82220
82228 00200
99963 06600

**For Service & Spares**
82220 30200

**For Accounts**
82220 40400

Quality Brands Awards
Mumbai, India

Printed & Designed by Printographic | 903 400 6808